




OWNER'S MANUAL



TRINITY WOOD PULL-OUT CABINET DRAWER - WHITE - 2 PACK
Model # TRJLWH-22222 (10" Width) / TRJLWH-22232 (13" Width)
/ TRJLWH-22242 (16" Width)

Important / Important / Importante

FOR 3D ASSEMBLY INSTRUCTIONS
POUR DES DIRECTIVES D'ASSEMBLAGE 3D
PARA INSTRUCCIONES DE ENSAMBLAJE EN 3D



BILT.[®]

Intelligent Instructions
Directives intelligentes
Instrucciones Inteligentes



DOWNLOAD THE FREE APP | TÉLÉCHARGER L'APPLICATION GRATUITE | DESCARGUE LA APLICACIÓN GRATUITA


PARTS LIST

Your TRINITY wood pull-out cabinet drawer - 2 Pack should include the following parts. Please inspect box contents to ensure you have received all components.

If you are missing any parts, need assistance with assembly or have questions, please contact TRINITY Customer Service: 800.985.5506 or customerservice@trinityii.com. Parts can also be requested online via our "Contact Us" section at www.trinityii.com.


You will need a pencil and a Philips screwdriver for assembly which are NOT included.

A




FRONT PANEL (2)

B




LEFT PANEL (2)

C




RIGHT PANEL (2)

D




BOTTOM PANEL (2)

E




BACK PANEL (2)

F



LEFT SLIDE (2)

G



RIGHT SLIDE (2)

H



CAM LOCK (4)

I



CONNECTOR SCREW (4)
M6x35

J



DRAWER SCREW (8)
M4x30

K




CABINET SCREW (8)
M4x14

L



WOOD DOWEL (4)

M




CABINET MOUNTING
TEMPLATE (1)

ASSEMBLY INSTRUCTIONS

STEP 1

Attach LEFT PANEL (B) and RIGHT PANEL (C) to BACK PANEL (E) with DRAWER SCREWS (J) as shown. Make sure groove on each panel faces inward.

Note: LEFT PANEL (B) and RIGHT PANEL (C) has inner slide rail pre-installed on outside of panel.




B (1)

C (1)


E (1)

J (4)




STEP 2

Slide BOTTOM PANEL (D) into grooves of assembly from STEP 1.





D (1)



ASSEMBLY INSTRUCTIONS

STEP 3

Insert two WOOD DOWELS (L) into two larger holes near groove on FRONT PANEL (A) and screw two CONNECTOR SCREWS (I) into two smaller holes as shown.




STEP 4

Align and press CONNECTOR SCREWS (I) and WOOD DOWELS (L) on FRONT PANEL (A) into holes on front end of LEFT PANEL (B) and RIGHT PANEL (C) as shown. Make sure all sides of BOTTOM PANEL (D) are inside grooves.



Insert CAM LOCK (H) into hole on LEFT PANEL (B) as shown, making sure slot of CAM LOCK (H) faces FRONT PANEL (A) direction. Use screwdriver to turn CAM LOCK (H) in clockwise direction until FRONT PANEL (A) is pulled tight with LEFT PANEL (B). Repeat to fasten FRONT PANEL (A) with RIGHT PANEL (C).




ASSEMBLY INSTRUCTIONS


STEP 5

Place CABINET MOUNTING TEMPLATE (M) inside your cabinet.
Using a pencil, mark locations to install CABINET SCREWS (K).

Note: For easier installation you can pre-drill a small hole at each marked location.



M (1)




STEP 6

Identify LEFT SLIDE (F) and RIGHT SLIDE (G).

Note: BACK end of each SLIDE (F) & (G) has a LIGHT GRAY plastic piece and FRONT end has a DARK GRAY plastic piece.

Place SLIDES (F) & (G) in their proper orientation and desired position inside cabinet.


Extend SLIDES (F) & (G) slightly. Align center of oval holes on both ends of slide bracket to your marked locations. Use self-tapping CABINET SCREWS (K) to fasten LEFT & RIGHT SLIDES (F) & (G) in your cabinet.



F (1)

G (1)


K (4)



ASSEMBLY INSTRUCTIONS

STEP 7

Insert end of inner slide rail on each side of drawer (attached to left and right panel) into corresponding slot on LEFT and RIGHT SLIDES (F) & (G), making sure they are properly positioned. Once inner rails are inserted into slots, push drawer all the way in until you hear a click.




USAGE INSTRUCTIONS

DRAWER REMOVAL

Pull drawer out so that it is almost fully extended. On LEFT-hand side, pull black release lever UP. On RIGHT-hand side, push black release lever DOWN. While holding levers as instructed, pull drawer forward until released from slides.


Note: Slides attached to drawer ("Drawer Slides") are an integral part of drawer and must be removed along with drawer itself.





DRAWER HEIGHT ADJUSTMENT

Drawer height position can be adjusted by adjusting the drawer slide height position.

Before you adjust, make sure to remove all items from drawer. Remove drawer from SLIDES (F) & (G) following above drawer removal instructions. Unscrew drawer slides from drawer LEFT and RIGHT PANEL (B) & (C). Install drawer slides to upper holes on LEFT and RIGHT PANEL (B) & (C) by the same screws. Follow assembly instruction of STEP 7 to install drawer to SLIDES (F) & (G).



Drawer slides installed to lower holes
(allow greater clearance over cabinet front)




Drawer slides installed to upper holes
(allow greater storage space on top of the drawer)

SERVICE PARTS LIST –

TRJLWH-22222 (10" Width) / TRJLWH-22232 (13" Width) / TRJLWH-22242 (16" Width)

TRINITY Customer Service provides the following replacement parts:

#	Part Number	Description	#	Part Number	Description
1)	LWH-14-068-1904	Right Panel	8)	ZBK-01-021-0635	Connector Screw
2)	ZBK-01-028-1510	Cam Lock	9)	ZBK-12-025-1750	Left Slide
3)	LWH-15-023-1005	Front Panel (10"Width)	10)	ZBK-12-024-1575	Drawer Slide
3)	LWH-15-023-1305	Front Panel (13"Width)	11)	LWH-14-067-1904	Left Panel
3)	LWH-15-023-1605	Front Panel (16"Width)	12)	ZBK-01-025-0430	Drawer Screw
4)	ZBK-12-026-1750	Right Slide	13)	LWH-16-012-0919	Bottom Panel (10" Width)
5)	XWH-96-005-0001	Template (10"Width)	13)	LWH-16-012-1219	Bottom Panel (13" Width)
5)	XWH-96-005-0002	Template (13"Width)	13)	LWH-16-012-1519	Bottom Panel (16" Width)
5)	XWH-96-005-0003	Template (16"Width)	14)	LWH-15-024-0804	Back Panel (10" Width)
6)	ZBK-01-025-0414	Cabinet Screw	14)	LWH-15-024-1104	Back Panel (13" Width)
7)	XNA-01-006-0625	Wood Dowel	14)	LWH-15-024-1404	Back Panel (16" Width)



WARNINGS

- 1. **Read and understand all instructions.** Failure to follow all instructions may result in injury and/or damage.
- 2. **The warnings, cautions, and instructions discussed in this manual cannot cover all possible conditions or situations that may occur.** The user must always be aware of their environment and ensure that they use the product in a safe and responsible manner.
- 3. **Do NOT modify the product in any way.** Unauthorized modification may impair the function and/or safety of the product and may affect the life of the product.
- 4. **Check for damaged parts.** Before using this product, carefully check that all parts are in good condition, and that the product will operate properly and perform its intended function. Check for damaged parts and any other conditions that may affect the operation of this product. Replace damaged or worn parts and never use this product with a damaged part.
- 5. **Do NOT overload the product.** Below capacity is based on evenly distributed weight.

Weight capacity per drawer	50 lb
----------------------------	-------

- 6. **Do NOT allow children to climb or play in the drawer.**

CARE AND MAINTENANCE

- Avoid harsh, abrasive cleaners, and other corrosive chemicals.
- Drawer can be cleaned with damp cloth and wiped dry immediately with dry cloth.
- Periodically check to ensure cam lock and screws remain tightened.
- This product is designed for indoor use.

PRODUCT REGISTRATION

Thank you for purchasing a TRINITY wood pull-out cabinet drawer - 2 Pack. In order to register your product and receive streamlined customer service, please fill out the following Product Registration Form and (1) fax the form to 310.347.4134 (2) complete the Product Registration Form online at www.trinityii.com or (3) scan and email the form to customerservice@trinityii.com. Include a copy of your original receipt with your submission.

First Name: _____ Last Name: _____

Address: _____

City: _____ State: _____ Zip Code: _____

Email Address: _____ Phone: _____

Product Model #: _____ Purchase Date: ____ / ____ / ____

Location of Purchase: _____

Please rate the importance of each feature (1=least important; 10=most important)

Quality ____ Price ____ Size/Capacity ____ Appearance ____ Other ____

How did you hear about our product?

- ☐ Magazine Ad ☐ Catalog ☐ Salesperson ☐ Word of Mouth
☐ Internet ☐ Store Display ☐ Other

Marital Status:

- ☐ Single ☐ Married

Household Income:

- ☐ Below \$50,000 ☐ \$50,000-\$150,000 ☐ \$150,000+

Education:

- ☐ High School ☐ College ☐ Graduate School

Primary Residence:

- ☐ Own ☐ Rent

Comments/Suggestions:

1 YEAR LIMITED WARRANTY

TRINITY WOOD PULL-OUT CABINET DRAWER - WHITE - 2 PACK Model # TRJLWH-22222 (10" Width) / TRJLWH-22232 (13" Width) / TRJLWH-22242 (16" Width)

Trinity International Industries ("Trinity") warrants to the original consumer purchaser ("Purchaser") of the TRINITY wood pull-out cabinet drawer - 2 Pack ("Product") that each Product shall be free from defects in workmanship and materials for a period of 1 year from the date of original purchase. Trinity's obligation under this warranty shall be limited to repair or replacement of, or adequate compensation for the Product which shall not be greater than the amount of the purchase price of the Product, at the option of Trinity, during the warranty period. All replaced parts and Products become the property of Trinity and must be returned to Trinity.

This warranty excludes normal wear and tear of the Product and its parts or components, and damage arising from any of the following: negligent use or misuse of the Product, use contrary to this User's Manual, or alteration by any one other than Trinity. The warranty period of 1 year shall not be extended or renewed by the repair or replacement of, or compensation for, the Product. Any warranty implied by applicable law is limited in duration to one year from the date of purchase and is subject to the same conditions and limitations as is provided for our express warranty.

Except as set forth herein, and to the extent of applicable there are no warranties on this Product either express or implied, and Trinity disclaims all warranties including, but not limited to, any implied warranties of merchantability, infringement or fitness for a particular purpose. No warranty or guarantee given by any person, firm, or corporation with respect to this product shall be binding on Trinity.

If your Product is defective or otherwise requires service or parts, please call TRINITY Customer Service toll-free at (800) 985-5506, between 5:00 a.m. and 5:00 p.m., PST. Please tell us which model you purchased, the date of the purchase, and the problem with your Product. A copy of your original purchase receipt must accompany your service request.

LIMITATION OF REMEDIES AND LIABILITY

Trinity (and its employees, officers, members, managers, affiliates and assigns) shall not be liable for any incidental, consequential, special, indirect, remote, special or punitive damages for breach of any warranty, express or implied, including, but not limited to, lost profits, lost savings, loss of anticipated benefits and attorneys' fees, which arise out of the purchase, use or inability to use the Product, whether arising out of contract, negligence, strict tort, product liability, or any other legal theory on which a claim is based. As noted above, to the extent damages are allowed by our express warranty or by applicable law, those damages may not exceed the purchase price paid for the Product. Without limiting the foregoing Purchaser assumes all risk and liability for loss, damage or injury to Purchaser and Purchaser's property and to others and their property arising out of the use, misuse, or inability to use this Product. This limited warranty shall not extend to anyone other than the original purchaser of this product, is nontransferable and states your exclusive remedy.

Some states do not allow the exclusion or limitation of incidental, consequential, special, or punitive damages, so the above limitation or exclusion may not apply to you. The above warranty gives you specific legal rights, and you may have other rights which vary from state to state.

CONTACT US

**QUESTIONS? NEED PARTS?
WE ARE HERE TO HELP!**

Please feel free to contact us. There are no questions too small, or any problems too big. We're committed to providing our customers with the highest level of service.

TRINITY Customer Service

TEL: 800.985.5506

FAX: 310.347.4134

EMAIL: customerservice@trinityii.com

**Monday through Friday
5:00 AM – 5:00 PM (PST)**

www.trinityii.com