



OWNER'S MANUAL



36 in METAL PREP CART | STAINLESS STEEL TOP | W/ DRAWER
Model # TXKPSB-1432 (Black) / TXKPWH-1432 (White)

Important / Important / Importante

FOR 3D ASSEMBLY INSTRUCTIONS
POUR DES DIRECTIVES D'ASSEMBLAGE 3D
PARA INSTRUCCIONES DE ENSAMBLAJE EN 3D



BILT.[®]

Intelligent Instructions
Directives intelligentes
Instrucciones Inteligentes



DOWNLOAD THE FREE APP | TÉLÉCHARGER L'APPLICATION GRATUITE | DESCARGUE LA APLICACIÓN GRATUITA


PARTS LIST

Your TRINITY® | 36 in Metal Prep Cart | Stainless Steel Top | w/ Drawer should include the following parts. Please inspect box contents to ensure you have received all components.

If you are missing any parts, need assistance with assembly or have questions, please contact TRINITY Customer Service: 800.985.5506 or customerservice@trinityii.com. Parts can also be requested online via "Contact Us" section at www.trinityii.com.


You will NOT need additional tools for assembly.

A




DRAWER w/ SS TOP (1)

B




SHELF (2)

C



LEG (4)

D



DRAWER HANDLE (1)

E



HANDLE SCREW (2)

F




LOCKING CASTER (2)

G



NON-LOCKING CASTER (2)

H



BOLT (32)

I




WASHER (32)

J



HEX KEY (1)

K



WRENCH (1)

ASSEMBLY INSTRUCTIONS

STEP 1


Two people are recommended for ease of assembly.

Lay DRAWER W/ SS TOP (A) on its side on a smooth flat surface. Attach (2) LEGS (C) on same side to DRAWER W/ SS TOP (A) using (8) WASHERS (I) and (8) BOLTS (H) as shown. Then attach (2) SHELVES (B) using (8) WASHERS (I) and (8) BOLTS (H).

Note:

- End with a steel plate welded is bottom end of leg.
- Middle shelf position can be adjusted. Choose your desired position for middle shelf during assembly.


 Only hand tighten BOLTS (H). Do not fully tighten until Step 2.



STEP 2

Carefully turn over assembly from STEP 1 onto other side. Repeat STEP 1 to assemble remaining (2) LEGS (C) using (16) WASHERS (I) and (16) BOLTS (H) as shown.


Put assembled cart upside down as shown. Fully tighten all (32) BOLTS (H) with provided HEX KEY (J).



ASSEMBLY INSTRUCTIONS

STEP 3

Screw each CASTER (F & G) into threaded nut at bottom of each leg. Turn clockwise to screw in place. Make sure LOCKING CASTERS (F) are on same side.




F (2)

G (2)

K (1)


Note: Use provided WRENCH (K) to tighten all casters completely. Failure to do as instructed could result in caster stem breaking.

Stand cart right side up.



STEP 4


Attach DRAWER HANDLE (D) to drawer face with (2) HANDLE SCREWS (E) using provided HEX KEY (J).



D (1)

E (2)

J (1)




USAGE INSTRUCTIONS

DRAWER REMOVAL


Pull drawer out so that it is almost fully extended. On LEFT-hand side, push black release lever DOWN. On RIGHT-hand side, pull black release lever UP. While holding the levers as instructed, pull drawer forward until released from slides attached to cart ("Cart Slides").

Note: Slides attached to drawer ("Drawer Slides") are an integral part of drawer and must be removed along with drawer itself.



DRAWER REPLACEMENT

To replace drawer, pull slides out completely. Insert brackets on each side of Drawer Slides into corresponding slots on Cart Slides, making sure they are properly positioned. Once brackets are inserted into slots, completely close drawer to set all slides in their proper positions.



USAGE INSTRUCTIONS

SHELF HEIGHT ADJUSTMENT

Height of middle shelf can be adjusted. Before adjusting, ensure all items have been removed from top and shelves.


Unscrew (8) BOLTS (H) and (8) WASHERS (I), unfastening middle shelf from legs. Tilt middle shelf diagonally to move it up or down to your desired height. Attach middle shelf to LEGS (C) with (8) BOLTS (H) and (8) WASHERS (I). Fully tighten BOLTS (H) with hex key.



SERVICE PARTS LIST – TXKPSB-1432 (Black)

TRINITY Customer Service provides the following replacement parts:


Part Number	Description	Part Number	Description
1) PSB-07-021-3618	Drawer w/ SS Top	8) XXX-97-001-0002	Hex Key
2) EBK-12-029-1375	Slide (drawer side)	9) XXX-97-002-0009	Wrench
3) PSB-04-061-3000	Leg	10) ZSV-99-041-3010	Locking Caster
4) PSB-03-104-3417	Shelf	11) XBS-05-034-1200	Drawer Handle
5) XSV-01-057-0616	Bolt	12) XSV-01-010-0408	Handle Screw
6) XSV-01-019-0616	Washer	13) EBK-12-030-1375	Slide (cart side)
7) ZSV-99-042-3010	Non-locking Caster		



SERVICE PARTS LIST – TXKPWH-1432 (White)

TRINITY Customer Service provides the following replacement parts:

Part Number	Description	Part Number	Description
1) PWH-07-021-3618	Drawer w/ SS Top	8) XXX-97-001-0002	Hex Key
2) EBK-12-029-1375	Slide (drawer side)	9) XXX-97-002-0009	Wrench
3) PWH-04-061-3000	Leg	10) ZSV-99-041-3010	Locking Caster
4) PWH-03-104-3417	Shelf	11) XBS-05-034-1200	Drawer Handle
5) XSV-01-057-0616	Bolt	12) XSV-01-010-0408	Handle Screw
6) XSV-01-019-0616	Washer	13) EBK-12-030-1375	Slide (cart side)
7) ZSV-99-042-3010	Non-locking Caster		



WARNINGS

1. **Read and understand all instructions.** Failure to follow all instructions may result in injury and / or damage.
2. **Tighten all casters completely by using the wrench.** Failure to do as instructed could result in the caster stem breaking, thereby causing the product to collapse.
3. **The warnings, cautions, and instructions discussed in this manual cannot cover all possible conditions or situations that may occur.** The user must always be aware of the environment and ensure to use the product in a safe and responsible manner.
4. **Do NOT modify the product in any way.** Unauthorized modification may impair the function and / or safety of the product and may affect the life of the product. Any modifications will void product warranty.
5. **Check for damaged parts.** Before using this product, carefully check that all parts are in good condition, and that the product will operate properly and perform its intended function. Replace damaged or worn parts and never use this product with a damaged part.
6. **Do NOT overload the product.**

Weight capacity of top (evenly distributed)	50 lb
Weight capacity per drawer (evenly distributed)	30 lb
Weight capacity per shelf (evenly distributed)	50 lb
Total weight capacity of Cart (evenly distributed)	180 lb

7. **Do NOT allow children to climb or play around the product.** Tipping may occur causing injury.
8. **Do NOT stand or lean on the product or use any part of this product as a step ladder.** Tipping may occur causing injury.
9. **Do NOT roll the product on an uneven surface.** Only move the product on a smooth surface. Rolling over rough or uneven surface may cause casters to break or items on the product to fall, resulting in injury and / or damage.
10. **Wood and laminate flooring can be scratched or dented.** Ensure your flooring can bear the weight of loaded product before rolling loaded product across your flooring.
11. **Lock all locking casters when leaving the product in stationary position.**
12. **Load the product evenly and place the heaviest items on the lower shelves.**

CARE AND MAINTENANCE

- Use a quality stainless steel cleaner and follow instructions that come with the cleaner. Wipe ALONG the grain (NOT against).
- Avoid harsh, abrasive cleaners, and other corrosive chemicals.
- Do NOT use scouring pad for cleaning.
- Keep dry and avoid damp environments. Cart should not be left out unprotected in the elements. A protective cover (UBK-24-001-3519) is available as an accessory through www.trinityii.com website.

1 YEAR LIMITED WARRANTY

TRINITY® | 36 in METAL PREP CART | STAINLESS STEEL TOP | W/ DRAWER Model # TXKPSB-1432 (Black) / TXKPWH-1432 (White)

Trinity International Industries (“Trinity”) warrants to the original consumer purchaser (“Purchaser”) that Trinity’s products (each a “Product”) shall be free from defects in workmanship and materials for a period of one (1) year from the date of original purchase. Trinity’s obligation under this warranty shall be limited to repair or replacement of, or adequate compensation for the Product which shall not be greater than the amount of the purchase price of the Product, at the option of Trinity, during the warranty period. Repair or replacement of the Product will be performed within a reasonable time after notice of the defect has been provided to Trinity by the Purchaser. All replaced parts and Products become the property of Trinity and must be returned to Trinity.

This warranty excludes normal wear and tear of the Product and its parts or components, and damage arising from any of the following: negligent use or misuse of the Product, use contrary to this User’s Manual, or alteration by anyone other than Trinity. The warranty period of one (1) year shall not be extended or renewed by the repair or replacement of, or compensation for, the Product. Any warranty implied by applicable law is limited in duration to one year from the date of purchase and is subject to the same conditions and limitations as is provided for our express warranty.

No warranty or guarantee given by any person, firm, or corporation other than Trinity with respect to the Product shall be binding on Trinity.

If your Product is defective or otherwise requires service or parts, please call Trinity Customer Service toll-free at (800) 985-5506, between 5:00 a.m. and 5:00 p.m. PST. Please tell us which model you purchased, the date of the purchase, and the problem with your Product. A copy of your original purchase receipt must accompany your service request.

LIMITATION OF REMEDIES AND LIABILITY

Trinity (and its employees, officers, members, managers, affiliates and assigns) shall not be liable for any incidental, consequential, special, indirect, remote, special or punitive damages for breach of any warranty, express or implied, including, but not limited to, lost profits, lost savings, loss of anticipated benefits and attorneys’ fees, which arise out of the purchase, use or inability to use the Product, whether arising out of contract, negligence, strict tort, product liability, or any other legal theory on which a claim is based. As noted above, to the extent damages are allowed by our express warranty or by applicable law, those damages may not exceed the purchase price paid for the Product. Without limiting the foregoing, Purchaser assumes all risk and liability for loss, damage, or injury to Purchaser and Purchaser’s property and to others and their property arising out of the use, misuse, or inability to use the Product. This limited warranty shall not extend to anyone other than the original purchaser of the Product, is nontransferable, and states your exclusive remedy.

Some States do not allow limitations on how long an implied warranty lasts, so the above limitation may not apply to you. Some States do not allow the exclusion or limitation of incidental, consequential, special, or punitive damages, so the above limitation or exclusion may not apply to you. This warranty gives you specific legal rights, and you may have other rights which vary from State to State.

PRODUCT REGISTRATION

Thank you for purchasing our product. To receive streamlined customer service, please register your product online at trinityii.com/pages/product-registration

CONTACT US

**QUESTIONS? NEED PARTS?
WE ARE HERE TO HELP!**

Please feel free to contact us. There are no questions too small, or any problems too big. We're committed to providing our customers with the highest level of service.

TRINITY Customer Service

TEL: 800.985.5506

FAX: 310.347.4134

EMAIL: customerservice@trinityii.com

**Monday through Friday
5:00 AM – 5:00 PM (PST)**

www.trinityii.com