# OWNER'S MANUAL



## TRINITY PRO 28" BASE CABINET W/ DOORS
## Model # TSNPBK-0608

**Important / Important / Importante**

FOR QUICK & EASY 3D ASSEMBLY INSTRUCTIONS

POUR DES DIRECTIVES D'ASSEMBLAGE 3D RAPIDES ET FACILES

PARA INSTRUCCIONES DE ENSAMBLAJE RÁPIDAS Y SENCILLAS EN 3D

BILT®

Intelligent Instructions

Directives intelligentes

Instrucciones Inteligentes

Download on the App Store | GET IT ON Google Play

DOWNLOAD THE FREE APP | TÉLÉCHARGER L'APPLICATION GRATUITE | DESCARGUE LA APLICACIÓN GRATUITA

© 2021 TRINITY - 800.985.5506

# PARTS LIST

Your TRINITY PRO 28“ Base Cabinet w/Doors should include the following parts. Please inspect box contents to ensure you have received all components.

If you are missing any parts, need assistance with assembly or have questions, please contact TRINITY Customer Service: 800.985.5506 or customerservice@trinityii.com. Parts can also be requested online via “Contact Us” section at www.trinityii.com.

You will NOT need additional tools for assembly.

A



**CABINET BODY (1)**

B



**SHELF (2)**

C

**SHELF SUPPORT (8)**

D



**FEET LEVELER (4)**

E

**WOOD SCREW (8)**
M4X16
**Option: only use for mounting wood top**

F

**WALL SCREW (4)**
M4X25
**Option: only use for mounting wood top overhang**

G



**WALL ANCHOR (4)**

**Option: only use for mounting wood top overhang**

H



**WALL BRACKET (2)**

**Option: only use for mounting wood top overhang**

© 2021 TRINITY - 800.985.5506

# ASSEMBLY INSTRUCTIONS



A (1) D (4)

## STEP 1

Lay CABINET BODY (A) gently on its back. Two people are needed, Do NOT attempt this alone.

Screw FEET LEVELER (D) fully into each pre-installed nut on four corners of cabinet bottom.

Stand cabinet right side up. Move it to desired location. Adjust FEET LEVELER (D) as needed to ensure your cabinet is level and stable.




---

## STEP 2



B (2) C (8)

Attach SHELF SUPPORT (C) by hooking it over position tab at desired height. Make sure all four SHELF SUPPORTS (C) are at the same level.

Tilt SHELF (B) diagonally to move it inside cabinet. Place SHELF (B) on top of all four SHELF SUPPORTS (C).

Repeat above to install other shelf.






© 2021 TRINITY - 800.985.5506

# USAGE INSTRUCTIONS

## OPEN AND CLOSE DOOR

Lift up door handle to release it from slot on handle base plate, rotate it forward and pull it to open door.

Close door by making sure ends of door bar is pushed against the stopper plate both on top and bottom. Rotate the door handle against door and slide into the slot on door handle base plate to keep door closed.

**Note:** To lock the door you need to buy a padlock with shackle diameter no larger than 9/32" (7mm). Put the shackle through the holes on door handle and handle base plate to lock the door.




## SHELF ADJUSTMENT

Ensure all items have been removed from shelf.

To adjust shelf height position, take shelf out of cabinet and re-attach shelf supports to position tabs at desired height.

Tilt shelf diagonally to move it inside cabinet. Place shelf on top of all shelf supports.




© 2021 TRINITY - 800.985.5506

# SERVICE PARTS LIST – TSNPBK-0608

TRINITY Customer Service provides the following replacement parts:

| | Part Number | Description | | Part Number | Description |
|---|---|---|---|---|---|
| 1) | PBK-18-020-2819 | Cabinet Body | 9) | XSV-02-017-0001 | Shelf Support |
| 2) | XSV-09-009-0003 | Door Hinge | 10) | XSV-01-010-0616 | Handle Screw |
| 3) | XBS-02-030-0002 | Right Handle Base Plate | 11) | XBS-02-030-0001 | Left Handle Base Plate |
| 4) | XBS-05-025-0720 | Handle | 12) | XSV-01-010-0408 | Lock Bar Bracket Screw |
| 5) | XBS-05-026-2875 | Lock Bar | 13) | XBK-02-028-0001 | Plastic Spacer |
| 6) | XBS-02-029-0001 | Lock Bar Bracket | 14) | XBS-02-027-0001 | Lock Bar Stopper |
| 7) | XBS-98-012-1662 | Feet Leveler | 15) | XSV-01-027-0408 | Stopper Screw |
| 8) | PBK-03-073-1627 | Shelf | | | |






© 2021 TRINITY - 800.985.5506

## WARNINGS

1. **Read and understand all instructions.** Failure to follow all instructions may result in injury and/or damage.
2. **The warnings, cautions, and instructions discussed in this manual cannot cover all possible conditions or situations that may occur.** The user must always be aware of their environment and ensure that they use the product in a safe and responsible manner.
3. **Do NOT modify the product in any way.** Unauthorized modification may impair the function and/or safety of the product, and may affect the life of the product.
4. **Check for damaged parts.** Before using this product, carefully check that all parts are in good condition, and that the product will operate properly and perform its intended function. Check for damaged parts and any other conditions that may affect the operation of this product. Replace damaged or worn parts, and never use this product with a damaged part.
5. **Do NOT overload the product.**

| | |
|---|---|
| Weight capacity per shelf (evenly distributed) | 150 lb |
| Total weight capacity of cabinet (evenly distributed) | 600 lb |

## CARE AND MAINTENANCE

- Avoid harsh, abrasive cleaners, and other corrosive chemicals.
- Do not use scouring pad for cleaning.
- This item is not certified for outdoor use.

© 2021 TRINITY - 800.985.5506

© 2021 TRINITY - 800.985.5506

# PRODUCT REGISTRATION

Thank you for purchasing a TRINITY PRO 28" Base Cabinet w/Doors. In order to register your product and receive streamlined customer service, please fill out the following Product Registration Form and (1) fax the form to 310.347.4134 (2) complete the Product Registration Form online at www.trinityii.com or (3) scan and email the form to customerservice@trinityii.com. Include a copy of your original receipt with your submission.

First Name: _____ Last Name: _____

Address: _____

City: _____ State: _____ Zip Code: _____

Email Address: _____ Phone: _____

Product Model #: TSNPBK-0608 Purchase Date: ____ / ____ / ____

Location of Purchase: _____

Please rate the importance of each feature (1=least important; 10=most important)

Quality ____ Price ____ Size/Capacity ____ Appearance ____ Other ____

How did you hear about our product?

☐ Magazine Ad ☐ Catalog ☐ Salesperson ☐ Word of Mouth
☐ Internet ☐ Store Display ☐ Other

Marital Status: ☐ Single ☐ Married

Household Income: ☐ Below $50,000 ☐ $50,000-$150,000 ☐ $150,000+

Education: ☐ High School ☐ College ☐ Graduate School

Primary Residence: ☐ Own ☐ Rent

Comments/Suggestions:

© 2021 TRINITY - 800.985.5506

© 2021 TRINITY - 800.985.5506

# 1 YEAR LIMITED WARRANTY

**TRINITY PRO 28" Base Cabinet w/Doors**
**Model # TSNPBK-0608**

Trinity International Industries ("Trinity") warrants to the original consumer purchaser ("Purchaser") of the TRINITY PRO 28" Base Cabinet w/Doors ("Product") that each Product shall be free from defects in workmanship and materials for a period of 1 year from the date of original purchase. Trinity's obligation under this warranty shall be limited to repair or replacement of, or adequate compensation for the Product which shall not be greater than the amount of the purchase price of the Product, at the option of Trinity, during the warranty period. All replaced parts and Products become the property of Trinity and must be returned to Trinity.

This warranty excludes normal wear and tear of the Product and its parts or components, and damage arising from any of the following: negligent use or misuse of the Product, use contrary to this User's Manual, or alteration by any one other than Trinity. The warranty period of 1 year shall not be extended or renewed by the repair or replacement of, or compensation for, the Product. Any warranty implied by applicable law is limited in duration to one year from the date of purchase and is subject to the same conditions and limitations as is provided for our express warranty.

Except as set forth herein, and to the extent of applicable there are no warranties on this Product either express or implied, and Trinity disclaims all warranties including, but not limited to, any implied warranties of merchantability, infringement or fitness for a particular purpose. No warranty or guarantee given by any person, firm, or corporation with respect to this product shall be binding on Trinity.

If your Product is defective or otherwise requires service or parts, please call TRINITY Customer Service toll-free at (800) 985-5506, between 5:00 a.m. and 5:00 p.m., PST. Please tell us which model you purchased, the date of the purchase, and the problem with your Product. A copy of your original purchase receipt must accompany your service request.

## LIMITATION OF REMEDIES AND LIABILITY

Trinity (and its employees, officers, members, managers, affiliates and assigns) shall not be liable for any incidental, consequential, special, indirect, remote, special or punitive damages for breach of any warranty, express or implied, including, but not limited to, lost profits, lost savings, loss of anticipated benefits and attorneys' fees, which arise out of the purchase, use or inability to use the Product, whether arising out of contract, negligence, strict tort, product liability, or any other legal theory on which a claim is based. As noted above, to the extent damages are allowed by our express warranty or by applicable law, those damages may not exceed the purchase price paid for the Product. Without limiting the foregoing Purchaser assumes all risk and liability for loss, damage or injury to Purchaser and Purchaser's property and to others and their property arising out of the use, misuse, or inability to use this Product. This limited warranty shall not extend to anyone other than the original purchaser of this product, is nontransferable and states your exclusive remedy.

Some states do not allow the exclusion or limitation of incidental, consequential, special, or punitive damages, so the above limitation or exclusion may not apply to you. The above warranty gives you specific legal rights, and you may have other rights which vary from state to state.

## CONTACT US

**QUESTIONS? NEED PARTS?**
**WE ARE HERE TO HELP!**

**Please feel free to contact us. There are no questions too small, or any problems too big. We're committed to providing our customers with the highest level of service.**

# TRINITY Customer Service


**TEL: 800.985.5506**
**FAX: 310.347.4134**
**EMAIL: customerservice@trinityii.com**


**Monday through Friday**
**5:00 AM – 5:00 PM (PST)**

**www.trinityii.com**

# OWNER'S MANUAL



## TRINITY PRO 28" WALL CABINET
## Model # TSNPBK-0609

**Important / Important / Importante**

FOR QUICK & EASY 3D ASSEMBLY INSTRUCTIONS

POUR DES DIRECTIVES D'ASSEMBLAGE 3D RAPIDES ET FACILES

PARA INSTRUCCIONES DE ENSAMBLAJE RÁPIDAS Y SENCILLAS EN 3D

BILT®

Intelligent Instructions

Directives intelligentes

Instrucciones Inteligentes

Download on the App Store

GET IT ON Google Play

DOWNLOAD THE FREE APP | TÉLÉCHARGER L'APPLICATION GRATUITE | DESCARGUE LA APLICACIÓN GRATUITA

© 2020 TRINITY - 800.985.5506

# PARTS LIST

Your TRINITY PRO 28” Wall Cabinet should include the following parts. Please inspect box contents to ensure you have received all components.

If you are missing any parts, need assistance with assembly or have questions, please contact TRINITY Customer Service: 800.985.5506 or customerservice@trinityii.com. Parts can also be requested online via “Contact Us” section at www.trinityii.com.

You will need a Phillips screwdriver for assembly which is not provided.

A



**CABINET BODY (1)**

B



**SHELF (1)**

C

**SHELF SUPPORT (4)**

D



**WALL BRACKET (1)**

E

**SHORT SCREW (2) + (1) extra**

F

**LONG SCREW (4)**

G

**ANCHOR (4)**

© 2020 TRINITY - 800.985.5506

# ASSEMBLY INSTRUCTIONS




## STEP 1

Position WALL BRACKET (D) on wall at desired height, making sure it is level.

Mark off mounting location on wall through oval holes on WALL BRACKET (D). If ANCHORS (G) are required, drill holes in marked locations. Insert ANCHOR (G) completely into each drilled hole.

Fasten LONG SCREWS (F) through oval holes on WALL BRACKET (D) into wall or anchors tightly with a Phillips screwdriver.

**Note**: Please consult a local contractor if you are unsure if your wall is able to bear the load of the wall cabinet.




---

## STEP 2

Lift CABINET BODY (A) and hang it carefully on WALL BRACKET(D) through four hooks on back side of cabinet. Two people are needed, DO NOT attempt this alone.

There are two slots on back side of cabinet. Align these two slots to two small round holes on WALL BRACKET (D). Insert SHORT SCREWS (E) through slots from inside of cabinet and fasten tightly to WALL BRACKET (D) with a Phillips screwdriver.









© 2020 TRINITY - 800.985.5506

# ASSEMBLY INSTRUCTIONS

## STEP 3




Open cabinet door by lifting up door handle.

Attach SHELF SUPPORT (C) by hooking it over position tab at desired height. Make sure all four SHELF SUPPORTS (C) are at same level.

Tilt SHELF (B) diagonally to move it inside cabinet. Place SHELF (B) on top of all four SHELF SUPPORTS (C).




© 2020 TRINITY - 800.985.5506

# USAGE INSTRUCTIONS

## OPEN AND CLOSE DOOR

Open door by lifting up door handle. Close door by pushing down door handle until it fit inside slot on bottom edge of cabinet body. The door will not stay closed if the handle is not in the slot.




## SHELF ADJUSTMENT

Ensure all items have been removed from shelf.

To adjust shelf height position, take shelf out of cabinet, re-attach shelf supports to position tabs at desired height.

Tilt shelf diagonally to move it inside cabinet. Place shelf on top of all shelf supports.






© 2020 TRINITY - 800.985.5506

# SERVICE PARTS LIST – TSNPBK-0609

TRINITY Customer Service provides the following replacement parts:

| | Part Number | Description | | Part Number | Description |
|---|---|---|---|---|---|
| 1) | PBK-18-020-2814 | Cabinet Body | 7) | XSV-02-017-0001 | Shelf Support |
| 2) | PBK-08-013-2616 | Door | 8) | XSV-01-027-0416 | Handle Screw |
| 3) | XSV-09-009-0002 | Door Hinge | 9) | XSV-01-027-0408 | Handle Base Plate Screw |
| 4) | ZBK-09-014-0001 | Gas Lift | 10) | XBS-02-030-0003 | Handle Base Plate |
| 5) | PBK-03-073-1227 | Shelf | 11) | XBS-05-025-0700 | Handle |
| 6) | PBK-02-011-0011 | Wall Mount Hardware Kit | | | |




© 2020 TRINITY - 800.985.5506

## WARNINGS

1. **Read and understand all instructions.** Failure to follow all instructions may result in injury and/or damage.
2. **The warnings, cautions, and instructions discussed in this manual cannot cover all possible conditions or situations that may occur.** The user must always be aware of their environment and ensure that they use the product in a safe and responsible manner.
3. **Do NOT modify the product in any way.** Unauthorized modification may impair the function and/or safety of the product, and may affect the life of the product. Any modifications will void warranty.
4. **Check for damaged parts.** Before using this product, carefully check that all parts are in good condition, and that the product will operate properly and perform its intended function. Check for damaged parts and any other conditions that may affect the operation of this product. Replace damaged or worn parts, and never use this product with a damaged part.
5. **Do NOT overload the product.**

| | |
|---|---|
| Weight capacity per shelf (evenly distributed) | 100 lb |
| Total weight capacity of cabinet (evenly distributed) | 300 lb |

6. **Do NOT hang or use cabinet unless your wall is able to bear the cabinet load. C**onsult a local contractor if you are unsure if your wall is able to bear the load of the wall cabinet.
7. **Do NOT use nails to mount the cabinet.**
8. **Do NOT use wall cabinet unless all screws are securely tightened.** Check regularly to ensure screws have not loosened during use of cabinet.
9. **Do NOT hang on the cabinet.**
10. **Do NOT let children play under the cabinet.**
11. **Keep hands and other items away from gas lift when closing the door**. Hands may be pinched or items damaged.

## CARE AND MAINTENANCE

- Avoid harsh, abrasive cleaners, and other corrosive chemicals.
- Do not use scouring pad for cleaning.
- This item is not certified for outdoor use.


© 2020 TRINITY - 800.985.5506

# PRODUCT REGISTRATION

Thank you for purchasing a TRINITY PRO 28" Wall Cabinet. In order to register your product and receive streamlined customer service, please fill out the following Product Registration Form and (1) fax the form to 310.347.4134 (2) complete the Product Registration Form online at www.trinityii.com or (3) scan and email the form to customerservice@trinityii.com. Include a copy of your original receipt with your submission.

First Name: _____ Last Name: _____

Address: _____

City: _____ State: _____ Zip Code: _____

Email Address: _____ Phone: _____

Product Model #: TSNPBK-0609 Purchase Date: ____ / ____ / ____

Location of Purchase: _____

Please rate the importance of each feature (1=least important; 10=most important)

Quality ____ Price ____ Size/Capacity ____ Appearance ____ Other ____

How did you hear about our product?

☐ Magazine Ad ☐ Catalog ☐ Salesperson ☐ Word of Mouth
☐ Internet ☐ Store Display ☐ Other

Marital Status: ☐ Single ☐ Married

Household Income: ☐ Below $50,000 ☐ $50,000-$150,000 ☐ $150,000+

Education: ☐ High School ☐ College ☐ Graduate School

Primary Residence: ☐ Own ☐ Rent

Comments/Suggestions:

© 2020 TRINITY - 800.985.5506

© 2020 TRINITY - 800.985.5506

# 1 YEAR LIMITED WARRANTY

**TRINITY PRO 28" Wall Cabinet**
**Model # TSNPBK-0609**

Trinity International Industries ("Trinity") warrants to the original consumer purchaser ("Purchaser") of the TRINITY PRO 28" Wall Cabinet ("Product") that each Product shall be free from defects in workmanship and materials for a period of 1 year from the date of original purchase. Trinity's obligation under this warranty shall be limited to repair or replacement of, or adequate compensation for the Product which shall not be greater than the amount of the purchase price of the Product, at the option of Trinity, during the warranty period. All replaced parts and Products become the property of Trinity and must be returned to Trinity.

This warranty excludes normal wear and tear of the Product and its parts or components, and damage arising from any of the following: negligent use or misuse of the Product, use contrary to this User's Manual, or alteration by any one other than Trinity. The warranty period of 1 year shall not be extended or renewed by the repair or replacement of, or compensation for, the Product. Any warranty implied by applicable law is limited in duration to one year from the date of purchase and is subject to the same conditions and limitations as is provided for our express warranty.

Except as set forth herein, and to the extent of applicable there are no warranties on this Product either express or implied, and Trinity disclaims all warranties including, but not limited to, any implied warranties of merchantability, infringement or fitness for a particular purpose. No warranty or guarantee given by any person, firm, or corporation with respect to this product shall be binding on Trinity.

If your Product is defective or otherwise requires service or parts, please call TRINITY Customer Service toll-free at (800) 985-5506, between 5:00 a.m. and 5:00 p.m., PST. Please tell us which model you purchased, the date of the purchase, and the problem with your Product. A copy of your original purchase receipt must accompany your service request.

## LIMITATION OF REMEDIES AND LIABILITY

Trinity (and its employees, officers, members, managers, affiliates and assigns) shall not be liable for any incidental, consequential, special, indirect, remote, special or punitive damages for breach of any warranty, express or implied, including, but not limited to, lost profits, lost savings, loss of anticipated benefits and attorneys' fees, which arise out of the purchase, use or inability to use the Product, whether arising out of contract, negligence, strict tort, product liability, or any other legal theory on which a claim is based. As noted above, to the extent damages are allowed by our express warranty or by applicable law, those damages may not exceed the purchase price paid for the Product. Without limiting the foregoing Purchaser assumes all risk and liability for loss, damage or injury to Purchaser and Purchaser's property and to others and their property arising out of the use, misuse, or inability to use this Product. This limited warranty shall not extend to anyone other than the original purchaser of this product, is nontransferable and states your exclusive remedy.

Some states do not allow the exclusion or limitation of incidental, consequential, special, or punitive damages, so the above limitation or exclusion may not apply to you. The above warranty gives you specific legal rights, and you may have other rights which vary from state to state.

## CONTACT US

**QUESTIONS? NEED PARTS?**
**WE ARE HERE TO HELP!**

**Please feel free to contact us. There are no questions too small, or any problems too big. We're committed to providing our customers with the highest level of service.**

# TRINITY Customer Service


**TEL: 800.985.5506**
**FAX: 310.347.4134**
**EMAIL: customerservice@trinityii.com**


**Monday through Friday**
**5:00 AM – 5:00 PM (PST)**

**www.trinityii.com**

# OWNER'S MANUAL



## TRINITY PRO 36" LOCKER CABINET
## Model # TSNPBK-0610

**Important / Important / Importante**

FOR QUICK & EASY 3D ASSEMBLY INSTRUCTIONS

POUR DES DIRECTIVES D'ASSEMBLAGE 3D RAPIDES ET FACILES

PARA INSTRUCCIONES DE ENSAMBLAJE RÁPIDAS Y SENCILLAS EN 3D

BILT®

Intelligent Instructions

Directives intelligentes

Instrucciones Inteligentes

Download on the App Store

GET IT ON Google Play

DOWNLOAD THE FREE APP | TÉLÉCHARGER L'APPLICATION GRATUITE | DESCARGUE LA APLICACIÓN GRATUITA

© 2020 TRINITY - 800.985.5506

# PARTS LIST

Your TRINITY PRO 36“ Locker Cabinet should include the following parts. Please inspect box contents to ensure you have received all components.

If you are missing any parts, need assistance with assembly or have questions, please contact TRINITY Customer Service: 800.985.5506 or customerservice@trinityii.com. Parts can also be requested online via “Contact Us” section at www.trinityii.com.

No tools required for assembly.

A



**CABINET BODY (1)**

B



**SHELF (3)**

C

**SHELF SUPPORT (12)**

D



**FEET LEVELER (4)**

**© 2020 TRINITY - 800.985.5506**

# ASSEMBLY INSTRUCTIONS



A (1) D (4)

## STEP 1

Lay CABINET BODY (A) gently on its back. Two people are needed, do NOT attempt this alone.

Screw FEET LEVELER (D) fully into each pre-installed nut on four corners of cabinet bottom.

Stand cabinet right side up.
Move it to desired location. Adjust FEET LEVELER (D) as needed to ensure your cabinet is level and stable.




---

## STEP 2



B (3) C (12)

Attach SHELF SUPPORT (C) by hooking it over position tab at desired height. Make sure all four SHELF SUPPORTS (C) are at same level.

Tilt SHELF (B) diagonally to move it inside cabinet. Place SHELF (B) on top of all four SHELF SUPPORTS (C).

Repeat above to install remaining shelves.






© 2020 TRINITY - 800.985.5506

# USAGE INSTRUCTIONS

## OPEN AND CLOSE DOOR

Lift up door handle to release it from slot on handle base plate, rotate it forward and pull it to open door.

Close door by making sure ends of door bar is pushed against the stopper plate both on top and bottom. Rotate the door handle against door and slide into the slot on door handle base plate to keep door closed.

**Note:** To lock the door you need to buy a padlock with shackle diameter no larger than 9/32" (7mm). Put the shackle through the holes on door handle and handle base plate to lock the door.




## SHELF ADJUSTMENT

Ensure all items have been removed from shelf.

To adjust shelf height position, take shelf out of cabinet, re-attach shelf supports to position tabs at desired height.

Tilt shelf diagonally to move it inside cabinet. Place shelf on top of all shelf supports.




© 2020 TRINITY - 800.985.5506

# SERVICE PARTS LIST – TSNPBK-0610

TRINITY Customer Service provides the following replacement parts:

| | Part Number | Description | | Part Number | Description |
|---|---|---|---|---|---|
| 1) | PBK-18-020-3624 | Cabinet Body | 9) | XSV-02-017-0001 | Shelf Support |
| 2) | XSV-09-009-0004 | Door Hinge | 10) | XSV-01-010-0616 | Handle Screw |
| 3) | XBS-02-030-0002 | Right Handle Base Plate | 11) | XBS-02-030-0001 | Left Handle Base Plate |
| 4) | XBS-05-025-0720 | Handle | 12) | XSV-01-010-0408 | Door Bar Bracket Screw |
| 5) | XBS-02-029-0001 | Door Bar Bracket | 13) | XBK-02-028-0001 | Plastic Spacer |
| 6) | XBS-05-026-7075 | Door Bar | 14) | XBS-02-027-0001 | Door Bar Stopper |
| 7) | XBS-98-012-1662 | Feet Leveler | 15) | XSV-01-027-0408 | Stopper Screw |
| 8) | PBK-03-073-2235 | Shelf | | | |






© 2020 TRINITY - 800.985.5506

## WARNINGS

1. **Read and understand all instructions.** Failure to follow all instructions may result in injury and/or damage.
2. **The warnings, cautions, and instructions discussed in this manual cannot cover all possible conditions or situations that may occur.** The user must always be aware of their environment and ensure that they use the product in a safe and responsible manner.
3. **Do NOT modify the product in any way.** Unauthorized modification may impair the function and/or safety of the product, and may affect the life of the product. Any modifications will void warranty.
4. **Check for damaged parts.** Before using this product, carefully check that all parts are in good condition, and that the product will operate properly and perform its intended function. Check for damaged parts and any other conditions that may affect the operation of this product. Replace damaged or worn parts, and never use this product with a damaged part.
5. **Do NOT overload the product.**

| | |
|---|---|
| Weight capacity per shelf (evenly distributed) | 200 lb |
| Total weight capacity of cabinet (evenly distributed) | 1000 lb |

## CARE AND MAINTENANCE

- Avoid harsh, abrasive cleaners, and other corrosive chemicals.
- Do not use scouring pad for cleaning.
- This item is not certified for outdoor use.

© 2020 TRINITY - 800.985.5506

© 2020 TRINITY - 800.985.5506

# PRODUCT REGISTRATION

Thank you for purchasing a TRINITY PRO 36" Locker Cabinet. In order to register your product and receive streamlined customer service, please fill out the following Product Registration Form and (1) fax the form to 310.347.4134 (2) complete the Product Registration Form online at www.trinityii.com or (3) scan and email the form to customerservice@trinityii.com. Include a copy of your original receipt with your submission.

First Name: _____ Last Name: _____

Address: _____

City: _____ State: _____ Zip Code: _____

Email Address: _____ Phone: _____

Product Model #: TSNPBK-0610 Purchase Date: ____ / ____ / ____

Location of Purchase: _____

Please rate the importance of each feature (1=least important; 10=most important)

Quality ____ Price ____ Size/Capacity ____ Appearance ____ Other ____

How did you hear about our product?

☐ Magazine Ad ☐ Catalog ☐ Salesperson ☐ Word of Mouth
☐ Internet ☐ Store Display ☐ Other

Marital Status: ☐ Single ☐ Married

Household Income: ☐ Below $50,000 ☐ $50,000-$150,000 ☐ $150,000+

Education: ☐ High School ☐ College ☐ Graduate School

Primary Residence: ☐ Own ☐ Rent

Comments/Suggestions:

© 2020 TRINITY - 800.985.5506

© 2020 TRINITY - 800.985.5506

# 1 YEAR LIMITED WARRANTY

**TRINITY PRO 36" Locker Cabinet**
**Model # TSNPBK-0610**

Trinity International Industries ("Trinity") warrants to the original consumer purchaser ("Purchaser") of the TRINITY PRO 36" Locker Cabinet ("Product") that each Product shall be free from defects in workmanship and materials for a period of 1 year from the date of original purchase. Trinity's obligation under this warranty shall be limited to repair or replacement of, or adequate compensation for the Product which shall not be greater than the amount of the purchase price of the Product, at the option of Trinity, during the warranty period. All replaced parts and Products become the property of Trinity and must be returned to Trinity.

This warranty excludes normal wear and tear of the Product and its parts or components, and damage arising from any of the following: negligent use or misuse of the Product, use contrary to this User's Manual, or alteration by any one other than Trinity. The warranty period of 1 year shall not be extended or renewed by the repair or replacement of, or compensation for, the Product. Any warranty implied by applicable law is limited in duration to one year from the date of purchase and is subject to the same conditions and limitations as is provided for our express warranty.

Except as set forth herein, and to the extent of applicable there are no warranties on this Product either express or implied, and Trinity disclaims all warranties including, but not limited to, any implied warranties of merchantability, infringement or fitness for a particular purpose. No warranty or guarantee given by any person, firm, or corporation with respect to this product shall be binding on Trinity.

If your Product is defective or otherwise requires service or parts, please call TRINITY Customer Service toll-free at (800) 985-5506, between 5:00 a.m. and 5:00 p.m., PST. Please tell us which model you purchased, the date of the purchase, and the problem with your Product. A copy of your original purchase receipt must accompany your service request.

## LIMITATION OF REMEDIES AND LIABILITY

Trinity (and its employees, officers, members, managers, affiliates and assigns) shall not be liable for any incidental, consequential, special, indirect, remote, special or punitive damages for breach of any warranty, express or implied, including, but not limited to, lost profits, lost savings, loss of anticipated benefits and attorneys' fees, which arise out of the purchase, use or inability to use the Product, whether arising out of contract, negligence, strict tort, product liability, or any other legal theory on which a claim is based. As noted above, to the extent damages are allowed by our express warranty or by applicable law, those damages may not exceed the purchase price paid for the Product. Without limiting the foregoing Purchaser assumes all risk and liability for loss, damage or injury to Purchaser and Purchaser's property and to others and their property arising out of the use, misuse, or inability to use this Product. This limited warranty shall not extend to anyone other than the original purchaser of this product, is nontransferable and states your exclusive remedy.

Some states do not allow the exclusion or limitation of incidental, consequential, special, or punitive damages, so the above limitation or exclusion may not apply to you. The above warranty gives you specific legal rights, and you may have other rights which vary from state to state.

## CONTACT US

**QUESTIONS? NEED PARTS?**
**WE ARE HERE TO HELP!**

**Please feel free to contact us. There are no questions too small, or any problems too big. We're committed to providing our customers with the highest level of service.**

# TRINITY Customer Service


**TEL: 800.985.5506**
**FAX: 310.347.4134**
**EMAIL: customerservice@trinityii.com**


**Monday through Friday**
**5:00 AM – 5:00 PM (PST)**

**www.trinityii.com**

# OWNER'S MANUAL



## TRINITY PRO 84" x 19" WOOD TOP
## Model # TSNLNA-7299

**Important / Important / Importante**

FOR QUICK & EASY 3D ASSEMBLY INSTRUCTIONS

POUR DES DIRECTIVES D'ASSEMBLAGE 3D RAPIDES ET FACILES

PARA INSTRUCCIONES DE ENSAMBLAJE RÁPIDAS Y SENCILLAS EN 3D

BILT®

Intelligent Instructions

Directives intelligentes

Instrucciones Inteligentes

Download on the App Store

GET IT ON Google Play

DOWNLOAD THE FREE APP | TÉLÉCHARGER L'APPLICATION GRATUITE | DESCARGUE LA APLICACIÓN GRATUITA

# PARTS LIST

Your TRINITY PRO 84“ x 19“ Wood Top can be mounted on top of the TRINITY PRO Base Cabinet. To install it requires one of the following parts kit for assembly which are included in your TRINITY PRO Base Cabinet hardware package. Please inspect box contents to ensure you have received all components. You will also need a Phillips screwdriver for assembly which is not provided.

If you are missing any parts, need assistance with assembly or have questions, please contact TRINITY Customer Service: 800.985.5506 or customerservice@trinityii.com. Parts can also be requested online via “Contact Us” section at www.trinityii.com.

## Hardware Parts (Included inside each Base Cabinet w/Doors Model # TSNPBK-0608)

A

**WOOD SCREW (8)**
M4X16

B



**WALL BRACKET (2)**

C



**WALL ANCHOR (4)**

D

**WALL SCREW (4)**
M4X25

## Hardware Parts (Included inside each Base Cabinet w/Drawers Model # TSNPBK-0607)

A

**WOOD SCREW (4)**
M4X16



© 2021 TRINITY - 800.985.5506

# ASSEMBLY INSTRUCTIONS



Base Cabinet (2) | Wood Top (1)

## Option 1 (Installation across 2 Base Cabinets)

### Step 1

Move (2) assembled TRINITY PRO Base Cabinets to your desired location, and space them as shown below.

With 2 people, position a TRINITY PRO 84”x 19” WOOD TOP on the Base Cabinets, making sure that the ends are flush with the outside edge of each Base Cabinet.

Wood Top must be flush with the Base Cabinet edges to reach maximum weight capacity.




© 2021 TRINITY - 800.985.5506

# ASSEMBLY INSTRUCTIONS



A (8)

Electric screwdriver
(Phillips head)

## Option 1 (Installation across 2 Base Cabinets)

## Step 2

Open doors of each Base Cabinet as shown below.

Insert WOOD SCREW (A) into each hole on base cabinet top and tighten them fully to wood top with an electric screwdriver (Phillips head).






© 2021 TRINITY - 800.985.5506

# ASSEMBLY INSTRUCTIONS




## Option 2 (Installation with Wood Top Overhang)

## Step 1

If you want to attach your Wood Top with 2 Base Cabinets next to each other and have overhang of the Wood Top on either side, please follow the below instructions.

Move (2) assembled TRINITY PRO Base Cabinets to desired location against the wall, and space them as shown below.

With 2 people, position a TRINITY PRO 84”x 19” WOOD TOP on the Base Cabinets as shown below, making sure that the ends are flush with the outside edge of each Base Cabinet.

Wood Top must be flush with the Base Cabinet edges to reach maximum weight capacity.

**Note**: This Wood Top must be attached to a minimum of 2 Base Cabinets. This Wood Top CANNOT be used with only 1 Base Cabinet.




© 2021 TRINITY - 800.985.5506

# ASSEMBLY INSTRUCTIONS



A (8)

Electric screwdriver
(Phillips head)

## Option 2 (Installation with Wood Top Overhang)

## Step 2

Open doors of each Base Cabinet as shown.

Insert WOOD SCREW (A) into each hole on base cabinet top and tighten them fully to wood top with an electric screwdriver (Phillips head).






© 2021 TRINITY - 800.985.5506

# ASSEMBLY INSTRUCTIONS

## Option 2 (Installation with Wood Top Overhang)




### Step 3

Place two WALL BRACKETS (B) to overhang Wood Top bottom as shown. Make sure that one side of WALL BRACKETS (B) attach to Wood Top bottom and the other side attach to wall. Make sure one bracket is as close as possible to end of unsupported end of wood top.

Mark off mounting location on wall through holes on WALL BRACKET (B). If WALL ANCHORS (C) are required, drill holes in marked locations. Insert WALL ANCHOR (C) completely into each drilled hole.

Insert WOOD SCREW (A) into holes on WALL BRACKET (B) and tighten them fully to Wood Top bottom with an electric screwdriver (Phillips head).

Fasten WALL SCREWS (D) through holes on WALL BRACKET (B) into the wall or anchors tightly with an electric screwdriver (Phillips head).

**Note**: Please consult a local contractor if you are unsure if your wall is able to bear the load of the Wood Top.




© 2021 TRINITY - 800.985.5506

# ASSEMBLY INSTRUCTIONS

## Option 3 (Installation with 4 Base Cabinets)



Base Cabinet w/Doors (1) | Base Cabinet w/Drawers (3) | Wood Top (1)

## Step 1

Move (4) assembled TRINITY PRO Base Cabinets to your desired location, and space them as shown below.

With 2 people, position a TRINITY PRO 84”x 19” WOOD TOP on the Base Cabinets, making sure that the ends are flush with the outside edge of each Base Cabinet.

Wood Top must be flush with the Base Cabinet edges to reach maximum weight capacity.

**Note:** Base Cabinets can be oriented in any configuration, but this Wood Top must be attached to a minimum of 1 Base Cabinet + 1 Base Cabinet w/Drawers or 3 Base Cabinet with Drawers. This Wood Top CANNOT be used with only 1 Base Cabinet.






© 2021 TRINITY - 800.985.5506

## Option 3 (Installation with 4 Base Cabinets)

## Step 2

Remove top three drawers of each Base Cabinet as shown below.

Open doors of Base Cabinet as shown below.



**DRAWER REMOVAL**: Pull drawer out so that it is almost fully extended. On RIGHT side, push black release lever DOWN. On LEFT side, pull black release lever UP. While holding levers as instructed, pull drawer forward until released from slides attached to Cabinet ("Cabinet Slides").

**Note:** Slides attached to drawer ("Drawer Slides") are an integral part of drawer and must be removed along with drawer itself.



© 2021 TRINITY - 800.985.5506

# ASSEMBLY INSTRUCTIONS

## Option 3 (Installation with 4 Base Cabinets)

## Step 3



A (16) Electric screwdriver (Phillips head)

Insert WOOD SCREW (A) into each hole on base cabinet top and tighten them fully to wood top with an electric screwdriver (Phillips head).






© 2021 TRINITY - 800.985.5506

## Option 3 (Installation with 4 Base Cabinets)
## Step 4

**DRAWER REPLACEMENT :** To replace drawer, pull slides out completely. Insert brackets on each side of Drawer Slides into corresponding slots on Cabinet Slides, making sure they are properly positioned. Once brackets are inserted into slots, completely close drawer to set all slides in their proper positions.



© 2021 TRINITY - 800.985.5506

# SERVICE PARTS LIST

TRINITY Customer Service provides the following replacement parts:

| | Part Number | Description |
|---|---|---|
| 1) | PBK-02-011-0020 | Wood Top Mounting Hardware Kit |






© 2021 TRINITY - 800.985.5506

## WARNINGS

1. **Read and understand all instructions.** Failure to follow all instructions may result in injury and/or damage.
2. **The warnings, cautions, and instructions discussed in this manual cannot cover all possible conditions or situations that may occur.** The user must always be aware of their environment and ensure that they use the product in a safe and responsible manner.
3. **Do NOT modify the product in any way.** Unauthorized modification may impair the function and/or safety of the product, and may affect the life of the product.
4. **Check for damaged parts.** Before using this product, carefully check that all parts are in good condition, and that the product will operate properly and perform its intended function. Check for damaged parts and any other conditions that may affect the operation of this product. Replace damaged or worn parts, and never use this product with a damaged part.
5. **Do NOT overload the product.** Below capacity is based on evenly distributed weight.

| | |
|---|---|
| Weight capacity on wood top in Option 1 configuration | 1000 lb |
| Weight capacity on wood top in Option 2 configuration | 600 lb |
| Weight capacity on wood top in Option 3 configuration | 1000 lb |

6. **Do NOT allow children to climb or play around the product.** Tipping may occur cause injury.
7. **Do NOT use wood top unless it is securely attached.** All screws must be fastened tightly. Checking regularly to ensure the screws have not loosened during use of wood top.
8. **Do NOT lift cabinet assembly by wood top.**
9. **Wood Top MUST be attached to either 2 Base cabinet w/Doors or 3 Base Cabinet w/Drawers.** Failure to do so may result in tipover, damage, and/ or injury.
10. **Wood Top is to be used with TRINITY PRO Base Cabinets.**

## CARE AND MAINTENANCE

- Avoid harsh, abrasive cleaners, and other corrosive chemicals.
- Do not use scouring pad for cleaning.
- Clean up any spills immediately to prevent stains from forming on the wood top.
- Wood top can be cleaned with damp cloth and wiped dry immediately with dry cloth. If needed, solvent-based wood furniture cleaner can be used.

© 2021 TRINITY - 800.985.5506

# PRODUCT REGISTRATION

Thank you for purchasing a TRINITY PRO 84" x 19" Wood Top. In order to register your product and receive streamlined customer service, please fill out the following Product Registration Form and (1) fax the form to 310.347.4134 (2) complete the Product Registration Form online at www.trinityii.com or (3) scan and email the form to customerservice@trinityii.com. Include a copy of your original receipt with your submission.

First Name: _____ Last Name: _____

Address: _____

City: _____ State: _____ Zip Code: _____

Email Address: _____ Phone: _____

Product Model #: TSNLNA-7299 Purchase Date: ____ / ____ / ____

Location of Purchase: _____

Please rate the importance of each feature (1=least important; 10=most important)

Quality ____ Price ____ Size/Capacity ____ Appearance ____ Other ____

How did you hear about our product?

☐ Magazine Ad ☐ Catalog ☐ Salesperson ☐ Word of Mouth
☐ Internet ☐ Store Display ☐ Other

Marital Status: ☐ Single ☐ Married

Household Income: ☐ Below $50,000 ☐ $50,000-$150,000 ☐ $150,000+

Education: ☐ High School ☐ College ☐ Graduate School

Primary Residence: ☐ Own ☐ Rent

Comments/Suggestions:



© 2021 TRINITY - 800.985.5506

# 1 YEAR LIMITED WARRANTY

**TRINITY PRO 84" x 19" Wood Top**
**Model # TSNLNA-7299**

Trinity International Industries ("Trinity") warrants to the original consumer purchaser ("Purchaser") of the TRINITY PRO 84" x 19" Wood Top ("Product") that each Product shall be free from defects in workmanship and materials for a period of 1 year from the date of original purchase. Trinity's obligation under this warranty shall be limited to repair or replacement of, or adequate compensation for the Product which shall not be greater than the amount of the purchase price of the Product, at the option of Trinity, during the warranty period. All replaced parts and Products become the property of Trinity and must be returned to Trinity.

This warranty excludes normal wear and tear of the Product and its parts or components, and damage arising from any of the following: negligent use or misuse of the Product, use contrary to this User's Manual, or alteration by any one other than Trinity. The warranty period of 1 year shall not be extended or renewed by the repair or replacement of, or compensation for, the Product. Any warranty implied by applicable law is limited in duration to one year from the date of purchase and is subject to the same conditions and limitations as is provided for our express warranty.

Except as set forth herein, and to the extent of applicable there are no warranties on this Product either express or implied, and Trinity disclaims all warranties including, but not limited to, any implied warranties of merchantability, infringement or fitness for a particular purpose. No warranty or guarantee given by any person, firm, or corporation with respect to this product shall be binding on Trinity.

If your Product is defective or otherwise requires service or parts, please call TRINITY Customer Service toll-free at (800) 985-5506, between 5:00 a.m. and 5:00 p.m., PST. Please tell us which model you purchased, the date of the purchase, and the problem with your Product. A copy of your original purchase receipt must accompany your service request.

## LIMITATION OF REMEDIES AND LIABILITY

Trinity (and its employees, officers, members, managers, affiliates and assigns) shall not be liable for any incidental, consequential, special, indirect, remote, special or punitive damages for breach of any warranty, express or implied, including, but not limited to, lost profits, lost savings, loss of anticipated benefits and attorneys' fees, which arise out of the purchase, use or inability to use the Product, whether arising out of contract, negligence, strict tort, product liability, or any other legal theory on which a claim is based. As noted above, to the extent damages are allowed by our express warranty or by applicable law, those damages may not exceed the purchase price paid for the Product. Without limiting the foregoing Purchaser assumes all risk and liability for loss, damage or injury to Purchaser and Purchaser's property and to others and their property arising out of the use, misuse, or inability to use this Product. This limited warranty shall not extend to anyone other than the original purchaser of this product, is nontransferable and states your exclusive remedy.

Some states do not allow the exclusion or limitation of incidental, consequential, special, or punitive damages, so the above limitation or exclusion may not apply to you. The above warranty gives you specific legal rights, and you may have other rights which vary from state to state.

## CONTACT US

**QUESTIONS? NEED PARTS?**
**WE ARE HERE TO HELP!**

**Please feel free to contact us. There are no questions too small, or any problems too big. We're committed to providing our customers with the highest level of service.**

# TRINITY Customer Service


**TEL: 800.985.5506**
**FAX: 310.347.4134**
**EMAIL: customerservice@trinityii.com**


**Monday through Friday**
**5:00 AM – 5:00 PM (PST)**

**www.trinityii.com**